

Publications of the MILC Collaboration

Publications in Refereed Journals

1. QCD thermodynamics with two flavors at $N_f = 6$, C. Bernard, M.C. Ogilvie, T.A. DeGrand, C. DeTar, S. Gottlieb, A. Krasnitz, R.L. Sugar, and D. Toussaint, Phys. Rev. D **45**, 3854, (1992).
2. The spatial structure of screening propagators in hot QCD, C. Bernard, M.C. Ogilvie, T.A. DeGrand, C. DeTar, S. Gottlieb, A. Krasnitz, R.L. Sugar, and D. Toussaint, Phys. Rev. Lett. **68**, 2125, (1992).
3. QCD thermodynamics with two flavors of Wilson quarks at $N_f = 6$, C. Bernard, M.C. Ogilvie, T.A. DeGrand, C. DeTar, S. Gottlieb, A. Krasnitz, R.L. Sugar, and D. Toussaint, Phys. Rev. D **46**, 4741, (1992).
4. Finite-size and quark mass effects on the QCD spectrum with two flavors, C. Bernard, T.A. DeGrand, C. DeTar, S. Gottlieb, A. Krasnitz, R.L. Sugar, and D. Toussaint, Phys. Rev. D **48**, 4419, (1993).
5. The nature of the thermal phase transition with Wilson quarks, C. Bernard, T.A. DeGrand, C. DeTar, S. Gottlieb, A. Krasnitz, R.L. Sugar, and D. Toussaint, Phys. Rev. D **49**, 3574, (1994).
6. Baryon Density Correlations in High Temperature Hadronic Matter, C. Bernard, T.A. DeGrand, C. DeTar, S. Gottlieb, A. Krasnitz, R.L. Sugar, and D. Toussaint, Phys. Rev. D **49**, 6051, (1994).
7. QCD Thermodynamics with Wilson Quarks at Large Kappa, C. Bernard, T. Blum, T.A. DeGrand, C. DeTar, S. Gottlieb, A. Hasenfratz, L. Karkkainen, R.L. Sugar and D. Toussaint, Phys. Rev. D **50**, 3377, (1994).
8. The β function and equation of state for QCD with two flavors of quarks, T. Blum, S. Gottlieb, L. Karkkainen and D. Toussaint, Phys. Rev. D **51**, 5153, (1995).
9. From Spectroscopy to the Strong Coupling Constant with Heavy Wilson Quarks, M. Wingate, T.A. DeGrand, S. Collins, U.M. Heller, Phys. Rev. D **52**, 307, (1995).
10. Properties of the a_1 Meson from Lattice QCD, M. Wingate, T.A. DeGrand, S. Collins, U.M. Heller, Phys. Rev. Lett. **74**, 4596, (1995).
11. Two-Flavor Staggered Fermion Thermodynamics at $N_f = 12$, C. Bernard, T. Blum, C. DeTar, S. Gottlieb, U.M. Heller, J. Hetrick, K. Rummukainen, R.L. Sugar and D. Toussaint, Phys. Rev. D **54**, 4585, (1996).
12. Improving flavor symmetry in the Kogut-Susskind hadron spectrum, T. Blum, C. DeTar, Steven Gottlieb, U.M. Heller, J. Hetrick, K. Rummukainen, R.L. Sugar, D. Toussaint, and M. Wingate, Phys. Rev. D **55**, 1133, (1997) [arXiv:hep-lat/9609036].
13. Which chiral symmetry is restored in high temperature QCD?, C. Bernard, T. Blum, C. DeTar, Steven Gottlieb, U.M. Heller, J. Hetrick, K. Rummukainen, D. Toussaint, and M. Wingate, Phys. Rev. Lett. **78**, 598, (1997) [arXiv:hep-lat/9611031].
14. The equation of state for two flavor QCD at $N_f = 6$, C. Bernard, T. Blum, C. DeTar, Steven Gottlieb, U.M. Heller, J. Hetrick, L. Karkkainen, K. Rummukainen, R.L. Sugar, D. Toussaint, and Matthew Wingate, Phys. Rev. D **55**, 6861, (1997) [arXiv:hep-lat/9612025].
15. QCD Thermodynamics with an Improved Lattice Action, C. Bernard, J. Hetrick, T.A. DeGrand, C. DeTar, S. Gottlieb, U.M. Heller, K. Rummukainen, R.L. Sugar, D. Toussaint, and M. Wingate, Phys. Rev. D **56**, 5584, (1997) [arXiv:hep-lat/9703003].
16. Exotic Mesons in quenched lattice QCD, C. Bernard, T.A. DeGrand, C. DeTar, S. Gottlieb, U.M. Heller, J. Hetrick, C. McNeile, K. Rummukainen, R.L. Sugar, D. Toussaint, and M. Wingate, Phys. Rev. D **56**, 7038, (1997) [arXiv:hep-lat/9707008].

17. Quenched hadron spectroscopy with improved staggered quark action, C. Bernard, T. Blum, T.A. DeGrand, C. DeTar, S. Gottlieb, U.M. Heller, J. Hetrick, C. McNeile, K. Rummukainen, R.L. Sugar, and D. Toussaint, *Phys. Rev. D* **58**, 014503, (1998) [arXiv:hep-lat/9712010].
18. Continuum limit of lattice QCD with staggered quarks in the quenched approximation—a critical role for the chiral extrapolation. C. Bernard, T. Blum, C. DeTar, S. Gottlieb, U.M. Heller, J. Hetrick, C. McNeile, K. Rummukainen, R. Sugar, and D. Toussaint, *Phys. Rev. Lett.* **81**, 3087, (1998) [arXiv:hep-lat/9805004].
19. Lattice Determination of Heavy-Light Decay Constants, C. Bernard, T.A. DeGrand, C. DeTar, S. Gottlieb, U.M. Heller, J. Hetrick, N. Ishizuka, C. McNeile, R. Sugar, D. Toussaint, and M. Wingate, *Phys. Rev. Lett.* **81**, 4812, (1998) [arXiv:hep-lat/9806412].
20. Tests of hypercubic fermion actions, T.A. DeGrand, *Phys. Rev. D* **58**, 094503, (1998).
21. Testing improved actions for dynamical Kogut-Susskind quarks, Kostas Orginos and Doug Toussaint, *Phys. Rev. D* **59**, 014501, (1999).
22. Variants of fattening and flavor symmetry restoration, Kostas Orginos, Doug Toussaint and R.L. Sugar, *Phys. Rev. D* **60**, 054503, (1999) [arXiv:hep-lat/9903032].
23. Simple Observables for Fat Link Fermion Actions, T.A. DeGrand, *Phys. Rev. D* **60**, 094501, (1999) [arXiv:hep-lat/9903006].
24. Critical Behavior in $N_t=4$ Staggered Fermion Thermodynamics, C. Bernard, C. DeTar, S. Gottlieb, U.M. Heller, J. Hetrick, K. Rummukainen, R. Sugar and D. Toussaint, *Phys. Rev. D* **61**, 054503, (2000) [arXiv:hep-lat/9908008].
25. Scaling tests of the improved Kogut-Susskind quark action, C. Bernard, T. Burch, T.A. DeGrand, C. DeTar, S. Gottlieb, U.M. Heller, J. Hetrick, K. Orginos, R. Sugar and D. Toussaint, *Phys. Rev. D* **61**, 111502, (2000) [arXiv:hep-lat/9912018].
26. The static quark potential in three flavor QCD, C. Bernard, T. Burch, T.A. DeGrand, C. DeTar, S. Gottlieb, U.M. Heller, J. Hetrick, K. Orginos, R. Sugar and D. Toussaint, *Phys. Rev. D* **62**, 034503, (2000).
27. The QCD spectrum with three quark flavors, C. Bernard, T. Burch, T. DeGrand, S. Datta, C. DeTar, S. Gottlieb, U.M. Heller, K. Orginos, R. Sugar and D. Toussaint, *Phys. Rev. D* **64**, 054506, (2001) [arXiv:hep-lat/0104002].
28. Zero temperature string breaking in lattice quantum chromodynamics, C. Bernard, T. DeGrand, C. DeTar, S. Gottlieb, U.M. Heller, J. Hetrick, P. Lacey, K. Orginos, R. Sugar and D. Toussaint, *Phys. Rev. D* **64**, 074509, (2001) [arXiv:hep-lat/0103012].
29. Measurement of hybrid content of heavy quarkonia using lattice NRQCD, T. Burch, K. Orginos and D. Toussaint, *Phys. Rev. D* **64**, 074505, (2001) [arXiv:hep-lat/0103025].
30. Lattice results for the decay constant of heavy-light vector mesons, C. Bernard, P. Williams, S. Datta, S. Gottlieb, C. DeTar, U. M. Heller, C. McNeile, K. Orginos, R. Sugar and D. Toussaint, *Phys. Rev. D* **65**, 014510, (2002) [arXiv:hep-lat/0109015].
31. Chiral Logs in the Presence of Staggered Flavor Symmetry Breaking, C. Bernard, *Phys. Rev. D* **65**, 054031, (2002) [arXiv:hep-lat/0111051].
32. Lattice Calculation of Heavy-Light Decay Constants with Two Flavors of Dynamical Quarks, C. Bernard, S. Datta, T. DeGrand, C. DeTar, Steven Gottlieb, Urs M. Heller, C. McNeile, K. Orginos, R. Sugar and D. Toussaint, *Phys. Rev. D* **66**, 094501, (2002) [arXiv:hep-lat/0206016].
33. Witten-Veneziano Relation, Quenched QCD, and Overlap Fermions, Thomas DeGrand and Urs M. Heller (The MILC Collaboration), *Phys. Rev. D* **65**, 114501, (2002) [arXiv:hep-lat/0202001].

34. Lattice calculation of 1^{-+} hybrid mesons with improved Kogut-Susskind fermions, C. Bernard, T. Burch, C. DeTar, Steven Gottlieb, E.B. Gregory, U.M. Heller, J. Osborn, R. Sugar, and D. Toussaint, Phys. Rev. **D68**, 074505 (2003) [arXiv:hep-lat/0301024].
35. Pion and Kaon masses in Staggered Chiral Perturbation Theory, C. Aubin and C. Bernard, Phys. Rev. **D68**, 034014 (2003) [arXiv:hep-lat/0304014].
36. High-Precision Lattice QCD Confronts Experiment, The Fermilab Lattice, HPQCD, MILC and UKQCD Collaborations: C. T. H. Davies, E. Follana, A. Gray, G. P. Lepage, Q. Mason, M. Nobes, J. Shigemitsu, H. D. Trotter, M. Wingate, C. Aubin, C. Bernard, T. Burch, C. DeTar, Steven Gottlieb, E. B. Gregory, U. M. Heller, J. E. Hetrick, J. Osborn, R. Sugar, D. Toussaint, M. Di Pierro, A. El-Khadra, A. S. Kronfeld, P. B. Mackenzie, D. Menscher, J. Simone, Phys. Rev. Lett. **92**, 022001 (2004) [arXiv:hep-lat/0304004].
37. Hybrid configuration content of heavy S-wave mesons, Tommy Burch and Doug Toussaint (The MILC Collaboration), Phys. Rev. **D68**, 094504 (2003) [arXiv:hep-lat/0305008].
38. Topological Susceptibility with the Improved Asqtad Action, C. Bernard, T. Burch, T. DeGrand, C. DeTar, Steven Gottlieb, E. Gregory, A. Hart, A. Hasenfratz, U.M. Heller, J. Hetrick, J. Osborn, R.L. Sugar, D. Toussaint, Phys.Rev. **D68**, 114501 (2003) [arXiv:hep-lat/0308019].
39. First determination of the strange and light quark masses from full lattice QCD, The HPQCD, MILC and UKQCD Collaborations: C. Aubin, C. Bernard, C. Davies, C. DeTar, S. Gottlieb, A. Gray, E. Gregory, J. Hein, U.M. Heller, J. Hetrick, G. Lepage, Q. Mason, J. Osborn, R. Sugar, D. Toussaint, Phys. Rev. D **70** 031504(R) (2004) [arXiv:hep-lat/0405022].
40. QCD Thermodynamics with Three Flavors of Improved Staggered Quarks, C. Bernard, T. Burch, C. DeTar, Steven Gottlieb, E.B. Gregory, U.M. Heller, J. Osborn, R. Sugar, D. Toussaint, Phys. Rev. D **71**, 034504 (2005) [arXiv:hep-lat/0405029].
41. Light hadrons with improved staggered quarks: approaching the continuum limit, C. Aubin, C. Bernard, T. Burch, C. DeTar, Steven Gottlieb, E.B. Gregory, U.M. Heller, J. Osborn, R. Sugar, D. Toussaint, Phys. Rev. D **70**, 094505 (2004) [arXiv:hep-lat/0402030].
42. Light pseudoscalar decay constants, quark masses, and low energy constants from three-flavor lattice QCD, C. Aubin, C. Bernard, C. DeTar, Steven Gottlieb, E.B. Gregory, U.M. Heller, J.E. Hetrick, J. Osborn, R. Sugar, D. Toussaint, Phys. Rev. D **70**, 114501 (2004) [arXiv:hep-lat/0407028].
43. Topological susceptibility in staggered fermion chiral perturbation theory, B. Billeter, C. DeTar and J. Osborn, Phys. Rev. D **70**, 077502 (2004 [arXiv:hep-lat/0406032])
44. Semileptonic decays of D mesons in three-flavor lattice QCD, The Fermilab Lattice, MILC, and HPQCD Collaborations: C. Aubin, C. Bernard, C. DeTar, M. Di Pierro, A. El-Khadra, Steven Gottlieb, E. B. Gregory, U. M. Heller, J. Hetrick, A. S. Kronfeld, P. B. Mackenzie, D. Menscher, M. Nobes, M. Okamoto, M. B. Oktay, J. Osborn, J. Simone, R. Sugar, D. Toussaint, H. D. Trotter, Phys. Rev. Lett. **94**, 011601 (2005) [arXiv:hep-ph/0408306].
45. Charmed meson decay constants in three flavor lattice QCD, The Fermilab Lattice, MILC, and HPQCD Collaborations: C. Aubin, C. Bernard, C. DeTar, M. Di Pierro, E.D. Freeland, Steven Gottlieb, E.B. Gregory, U.M. Heller, J.E. Hetrick, A.X. El-Khadra, A.S. Kronfeld, L. Levkova, P.B. Mackenzie, F. Maresca, D. Menscher, M. Nobes, M. Okamoto, D. Renner, J.N. Simone, R.L. Sugar, D. Toussaint, H.D. Trotter, Phys. Rev. Lett. **95** 122002 (2005) [arXiv:hep-lat/0506030].

Publications in Conference Proceedings

1. Studying quarks and gluons on MIMD parallel computers, C. Bernard, M.C. Ogilvie, T.A. DeGrand, C. DeTar, S. Gottlieb, A. Kransitz, R.L. Sugar, and D. Toussaint, International Journal of Supercomputer Applications, **5**, 61, (1991).

2. QCD on the iPSC/860, C. Bernard, M.C. Ogilvie, T.A. DeGrand, C. DeTar, S. Gottlieb, A. Krasnitz, R.L. Sugar, and D. Toussaint, in *Workshop on Fermion Algorithms*, edited by H. J. Hermann and F. Karsch, (World Scientific, Singapore, (1991).
3. Finite Temperature Lattice QCD Simulations with Staggered and Wilson Fermions, C. Bernard, T.A. DeGrand, C. DeTar, S. Gottlieb, U.M. Heller, A.D. Kennedy, J. Kogut, A. Krasnitz, W. Liu, M.C. Ogilvie, R.L. Renken, D.K. Sinclair, R.L. Sugar, D. Toussaint, and K.C. Wang, in *Hot Summer Daze*, A. Gocksch and A. Soni eds., World Scientific, (1992).
4. Nuclear physics at 1,700,000,000,000 degrees Kelvin, C. Bernard, M. Ogilvie, T.A. DeGrand, C. DeTar, S. Gottlieb, A. Krasnitz, R.L. Sugar, and D. Toussaint, to be published in the proceedings of the *1991 Intel Supercomputer Users Group*, Dallas, Texas, (1991).
5. Finite-Size Effects and T_c for $\beta = 5.445$ with Two Staggered Flavors, C. Bernard, M.C. Ogilvie, T.A. DeGrand, C. DeTar, S. Gottlieb, A. Krasnitz, R.L. Sugar, and D. Toussaint, *Nuclear Phys. B (Proc. Suppl.)*, **26**, 262, (1992).
6. QCD Thermodynamics with Two Flavors of Quarks, C. Bernard, M. Ogilvie, T.A. DeGrand, C. DeTar, S. Gottlieb, A. Krasnitz, R.L. Sugar, and D. Toussaint, *Nuclear Phys. B (Proc. Suppl.)*, **26**, 305, (1992).
7. Quark Structure of Static Correlators in High Temperature QCD, C. Bernard, M.C. Ogilvie, T.A. DeGrand, C. DeTar, S. Gottlieb, A. Krasnitz, R.L. Sugar, and D. Toussaint, *Proceedings of the Ninth International Conference on Ultra-Relativistic Nucleus Nucleus Collisions*, Gatlinburg, 1991, T. Awes, F. Obenshain, F. Plasil, M. Strayer, and C. Wong, eds., *Nucl. Phys.*, **A544**, C519, (1992).
8. Finite Size Effects on the QCD Spectrum Revisited, C. Bernard, T.A. DeGrand, C. DeTar, S. Gottlieb, A. Krasnitz, R.L. Sugar, and D. Toussaint, *Nuclear Physics B (Proc Suppl)*, **30**, 369, (1993).
9. Baryon Density Correlations in the Quark Plasma, C. Bernard, T.A. DeGrand, C. DeTar, S. Gottlieb, A. Krasnitz, R.L. Sugar, and D. Toussaint, *Nuclear Physics B (Proc Suppl)*, **30**, 319, (1993).
10. What is going on with Wilson quarks at high temperature? C. Bernard, T.A. DeGrand, C. DeTar, S. Gottlieb, A. Hasenfratz, L. Kärkkäinen, R.L. Sugar, and D. Toussaint, *Nuclear Physics B. (Proc. Suppl.)*, **34**, 324, (1994).
11. Mass dependence of finite size effect on the hadron spectrum, C. Bernard, T.A. DeGrand, D. DeTar, S. Gottlieb, L. Kärkkäinen, R. Sugar and D. Toussaint, *Nuclear Physics B. (Proc. Suppl.)*, **34**, 366, (1994).
12. Mass dependence of finite size effect on the hadron spectrum, C. Bernard, T.A. DeGrand, D. DeTar, S. Gottlieb, L. Kärkkäinen, R. Sugar and D. Toussaint, *Nuclear Physics B. (Proc. Suppl.)*, **34**, 366, (1994).
13. QCD Thermodynamics at $N_f = 8$ and 12, C. Bernard, T. Blum, T.A. DeGrand, C. DeTar, S. Gottlieb, U.M. Heller, L. Kärkkäinen, A. Kennedy, S. Kim, J. Kogut, R. Renken, K. Rummukainen, D. Sinclair, R.L. Sugar, D. Toussaint, and K. Wang, *Nucl. Phys. B (Proc. Suppl.)*, **42**, 448, (1995).
14. Preliminary heavy-light decay constants from the MILC collaboration, C. Bernard, T. Blum, A. De, T.A. DeGrand, C. DeTar, S. Gottlieb, U.M. Heller, N. Ishizuka, L. Kärkkäinen, J. Labrenz, A. Soni, R.L. Sugar and D. Toussaint, *Nucl. Phys. B (Proc. Suppl.)*, **42**, 388, (1995).
15. Wilson thermodynamics at $N_f = 8$, C. Bernard, T. Blum, T.A. DeGrand, C. DeTar, S. Gottlieb, L. Kärkkäinen, K. Rummukainen, R.L. Sugar and D. Toussaint, *Nucl. Phys. B (Proc. Suppl.)*, **42**, 451, (1995).
16. The β function and equation of state for QCD for two flavor QCD, T. Blum, S. Gottlieb, L. Karkkainen and D. Toussaint, *Nucl. Phys. B (Proc. Suppl.)*, **42**, 460, (1995).

17. Thermal Phase Transition in Mixed Action SU(3) Lattice Gauge Theory and Wilson Fermion Thermodynamics, T. Blum, C. DeTar, Urs M. Heller, Leo Kärkkäinen, K. Rummukainen, and D. Toussaint Nucl. Phys. B, **442**, 301, (1995).
18. SU(3) Lattice Gauge Theory With Adjoint Action At Nonzero Temperature, T. Blum, C. DeTar, Urs M. Heller, Leo Kärkkäinen, and D. Toussaint, Nucl. Phys. B (Proc. Suppl.), **42**, 457, (1995).
19. Status and prospect for determining f_B , f_{B_s} , f_{B_s}/f_B on the lattice, C. Bernard, T. Blum, T.A. DeGrand, C. DeTar, S. Gottlieb, U.M. Heller, N. Ishizuka, L. Kärkkäinen, J. Labrenz, K. Rummukainen, A. Soni, R.L. Sugar and D. Toussaint, Proceedings of the LISHEP '95 Session C: Heavy Flavor Physics, page 399-407, Edited by F. Caruso, M.E. Pol, A. Santoro and R. Shellard, Editions Frontieres.
20. The Continuum Limit in the Quenched Approximation, C. Bernard, T. Blum, C. DeTar, S. Gottlieb, U.M. Heller, J. Hetrick, K. Rummukainen, R.L. Sugar, D. Toussaint, and M. Wingate, Nucl. Phys. B, (Proc. Suppl.), **47**, 345, (1996).
21. Two-Flavor Staggered-Fermion Thermodynamics at $N_t = 12$, C. Bernard, T. Blum, C. DeTar, S. Gottlieb, U.M. Heller, J. Hetrick, K. Rummukainen, R.L. Sugar, D. Toussaint, and M. Wingate, Nucl. Phys. B, (Proc. Suppl.), **47**, 499, (1996).
22. The $N_t = 6$ Equation of State for Two-Flavor QCD, C. Bernard, T. Blum, T.A. DeGrand, C. DeTar, S. Gottlieb, U.M. Heller, J.E. Hetrick, N. Ishizuka, L. Kärkkäinen, K. Rummukainen, R.L. Sugar, D. Toussaint, and M. Wingate, Nucl. Phys. B, (Proc. Suppl.), **47**, 503, (1996).
23. f_B Quenched and Unquenched C. Bernard, T. Blum, A. De, T.A. DeGrand, C. DeTar, S. Gottlieb, U.M. Heller, J. Hetrick, N. Ishizuka, J. Labrenz, K. Rummukainen, A. Soni, R.L. Sugar, D. Toussaint, and M. Wingate, Nucl. Phys. B, (Proc. Suppl.), **47**, 459, (1996).
24. P-wave meson properties with Wilson quarks, M. Wingate, T.A. DeGrand, S. Collins, U.M. Heller, Nucl. Phys. B (Proc. Suppl.), **42**, 373, (1995).
25. Simulating quarks and gluons on MIMD parallel computers, T.A. DeGrand, talk presented at the Cray Users' Group meeting, Denver, Colo., March 1995 and published in the Proceedings.
26. Exotic hybrid mesons with light quarks, C. Bernard, T. Blum, T.A. DeGrand, C. DeTar, S. Gottlieb, U.M. Heller, J. Hetrick, C. McNeile, K. Rummukainen, R.L. Sugar, D. Toussaint, and M. Wingate, Nucl. Phys. B, (Proc. Suppl.), **53**, 228, (1997) [arXiv:hep-lat/9607031].
27. Finite Temperature Lattice QCD with Clover Fermions, C. Bernard, T. Blum, T.A. DeGrand, C. DeTar, S. Gottlieb, U.M. Heller, J. Hetrick, C. McNeile, K. Rummukainen, R.L. Sugar, D. Toussaint, and M. Wingate, Nucl. Phys. B, (Proc. Suppl.), **53**, 446, (1997) [arXiv:hep-lat/9607085].
28. Thermodynamics for two flavor QCD, C. Bernard, T. Blum, C. DeTar, S. Gottlieb, U.M. Heller, J. Hetrick, L. Karkkainen, C. McNeile, K. Rummukainen, R.L. Sugar, D. Toussaint, and M. Wingate, Nucl. Phys. B, (Proc. Suppl.), **53**, 442, (1997) [arXiv:hep-lat/9608026].
29. Assorted weak matrix elements involving the bottom quark, C. Bernard, T. Blum, T.A. DeGrand, C. DeTar, S. Gottlieb, U.M. Heller, J. Hetrick, C. McNeile, K. Rummukainen, R.L. Sugar, D. Toussaint, and M. Wingate, Nucl. Phys. B, (Proc. Suppl.), **53**, 374, (1997) [arXiv:hep-lat/9608088].
30. Update on f_B , C. Bernard, T. Blum, T.A. DeGrand, C. DeTar, Steven Gottlieb, U.M. Heller, J. Hetrick, C. McNeile, K. Rummukainen, A. Soni, R.L. Sugar, D. Toussaint, and M. Wingate, Nucl. Phys. B, (Proc. Suppl.), **53**, 358, (1997) [arXiv:hep-lat/9608026].
31. Recent MILC spectrum results, C. Bernard, T. Blum, T.A. DeGrand, C. DeTar, Steven Gottlieb, U.M. Heller, J. Hetrick, C. McNeile, K. Rummukainen, R.L. Sugar, D. Toussaint, and M. Wingate, Nucl. Phys. B, (Proc. Suppl.), **53**, 212, (1997) [arXiv:hep-lat/9608102].
32. Lattice QCD on the IBM Scalable POWERParallel Sytems SP2, C. DeTar, Proceedings, Supercomputing '95, December 4-8, 1995.

33. Heavy-light decay constants–MILC results with the Wilson action, C. Bernard, T. Blum, T.A. DeGrand, C. DeTar, S. Gottlieb, U.M. Heller, J. Hetrick, C. McNeile, K. Rummukainen, A. Soni, R.L. Sugar, D. Toussaint, and M. Wingate, hep-lat/9707013. Nucl. Phys. B, (Proc. Suppl.), **60A**, 106, (1998).
34. Light hadron spectrum–MILC results with the Kogut-Susskind and Wilson actions, C. Bernard, T. Blum, T.A. DeGrand, C. DeTar, S. Gottlieb, U.M. Heller, J. Hetrick, C. McNeile, K. Rummukainen, R.L. Sugar, D. Toussaint, and M. Wingate, hep-lat/9707014, Nucl. Phys. B, (Proc. Suppl.), **60A**, 3, (1998).
35. B meson form factors from HQET simulations, C. Bernard, C. DeTar, S. Gottlieb, U.M. Heller, J. Hetrick, B. Jegerlehner, C. McNeile, K. Rummukainen, R.L. Sugar, D. Toussaint, and M. Wingate, Nucl. Phys. B, (Proc. Suppl.). **63**, 374, (1998) [arXiv:hep-lat/9709134].
36. Heavy-light decay constants from Wilson and Static Quarks, C. Bernard, T.A. DeGrand, C. DeTar, S. Gottlieb, U.M. Heller, J. Hetrick, C. McNeile, K. Rummukainen, R.L. Sugar, D. Toussaint, and M. Wingate, Nucl. Phys. B, (Proc. Suppl.), **63**, 362, (1998) [arXiv:hep-lat/9709142].
37. B Mixing on the Lattice: f_B , f_{B_s} and Related Quantities, C. Bernard, T. Blum, T.A. DeGrand, C. DeTar, S. Gottlieb, U.M. Heller, J. Hetrick, C. McNeile, K. Rummukainen, R.L. Sugar, D. Toussaint, and M. Wingate, in R. Burnstein, D. Kaplan, and H. Rubin, eds., *Twenty Beautiful Years of Bottom Physics*, AIP Conference Proceedings **424**, 227 (1998) [arXiv:hep-lat/9709328].
38. Critical Behavior at the Chiral Phase Transition, C. Bernard, T. Blum, C. DeTar, S. Gottlieb, U.M. Heller, J. Hetrick, B. Jegerlehner, K. Rummukainen, R.L. Sugar, D. Toussaint, and M. Wingate, Nucl. Phys. B, (Proc. Suppl.). **63**, 400, (1998) [arXiv:hep-lat/9710038].
39. Update on the hadron spectrum with two flavors of staggered quarks, C. Bernard, T. Blum, T.A. DeGrand, C. DeTar, S. Gottlieb, U.M. Heller, J. Hetrick, C. McNeile, K. Rummukainen, R.L. Sugar, D. Toussaint, and M. Wingate, Nucl. Phys. B, (Proc. Suppl.), **63**, 215, (1998) [arXiv:hep-lat/9710063].
40. Light quark spectrum with improved gauge and fermion actions, C. Bernard, T. Blum, T.A. DeGrand, C. DeTar, S. Gottlieb, U.M. Heller, J. Hetrick, C. McNeile, K. Rummukainen, R.L. Sugar, D. Toussaint, and M. Wingate, Nucl. Phys. B, (Proc. Suppl.), **63**, 182, (1998) [arXiv:hep-lat/9711013].
41. Hybrid mesons in quenched lattice QCD, C. Bernard, T. Blum, T.A. DeGrand, C. DeTar, S. Gottlieb, U.M. Heller, J. Hetrick, C. McNeile, K. Rummukainen, R. Sugar, D. Toussaint and M. Wingate, Nucl. Phys. B, (Proc. Suppl.), **60A**, 61, (1998).
42. MILC studies of high temperature QCD—a progress report, C. Bernard, T. Blum, T.A. DeGrand, C. DeTar, S. Gottlieb, U.M. Heller, J. Hetrick, L. Karkkainen, K. Rummukainen, R. Sugar, D. Toussaint and M. Wingate, Nucl. Phys. B, (Proc. Suppl.), **60A**, 195, (1998).
43. Towards the QCD spectrum with dynamical quarks, C. Bernard, T. Blum, T.A. DeGrand, C. DeTar, S. Gottlieb, U.M. Heller, J. Hetrick, C. McNeile, Karkkainen, K. Rummukainen, R. Sugar, D. Toussaint and M. Wingate, Nucl. Phys. B, (Proc. Suppl.), **60A**, 297, (1998).
44. Exotic hybrid mesons and four-quark states, C. Bernard, T. Blum, T.A. DeGrand, C. DeTar, S. Gottlieb, U.M. Heller, J. Hetrick, K. Rummukainen, R. sugar, D. Toussaint and M. Wingate, Nucl. Phys. B, (Proc. Suppl.), **63**, 206, (1998).
45. Exotic meson spectroscopy from the clover action at $\beta = 5.85$ and 6.15 , C. Bernard, T.A. DeGrand, C. DeTar, S. Gottlieb, U.M. Heller, J. Hetrick, C. McNeile, R. Sugar, and D. Toussaint, Nuclear Phys. B, (Proc. Suppl.), **73**, 264, (1999) [arXiv:hep-lat/9809087].
46. Heavy-Light Decay Constants: Conclusions from the Wilson Action, C. Bernard, T.A. DeGrand, C. DeTar, S. Gottlieb, U.M. Heller, J. Hetrick, N. Ishizuka, C. McNeile, R. Sugar, D. Toussaint, and M. Wingate, Nuclear Phys. B, (Proc. Suppl.), **73**, 372, (1999) [arXiv:hep-lat/9809109].
47. Light hadron spectrum with Kogut-Susskind quarks, C. Bernard, C. DeTar, S. Gottlieb, U.M. Heller, J. Hetrick, C. McNeile, K. Rummukainen, R. Sugar, and D. Toussaint, Nuclear Phys. B, (Proc. Suppl.), **73**, 198, (1999) [arXiv:hep-lat/9810035].

48. The hot QCD equation of state from lattice simulations, C. Bernard *et al.*, in "DPF-96: proceedings of the 9th meeting of the Division of Particles and Fields of the American Physical Society", 1156, (World Scientific, Singapore) (1998).
49. Optimizing the chiral properties of lattice fermions, Thomas DeGrand, Anna Hasenfratz, Tamas G. Kovacs, Nucl. Phys. B (Proc. Suppl.) **73**, 903 (1999) [arXiv:hep-lat/9809097].
50. Exceptional configurations with the clover action, Thomas DeGrand, Anna Hasenfratz, Tamas G. Kovacs, Nuclear Phys. B (Proc. Suppl.), **73**, 506, (1999) [arXiv:hep-lat/9809099].
51. Investigating and optimizing the chiral properties of lattice fermions, Thomas DeGrand, Anna Hasenfratz, Tamas G. Kovacs, Nuclear Phys. B (Proc. Suppl.), **B547**, 259, (1999) [arXiv:hep-lat/9810061].
52. Light Hadron Spectrum and Heavy-light Decay Constants from the MILC Collaboration, C. Bernard, T.A. DeGrand, C. DeTar, Steven Gottlieb, Urs M. Heller, J. E. Hetrick, N. Ishizuka, C. McNeile, K. Rummukainen, R. Sugar, D. Toussaint, and M. Wingate, Proceedings of DFP99, Katsushi Arisaka and Zvi Bern, eds.
53. Semileptonic Decays of Heavy Mesons with the Fat Clover Action, C. Bernard, T.A. DeGrand, C. DeTar, S. Gottlieb, U.M. Heller, J. Hetrick, C. McNeile, K. Orginos, R. Sugar and D. Toussaint, Nucl. Phys. **B** (Proc. Suppl.) **83-84**, 274, (2000) [arXiv:hep-lat/9909076].
54. Improved flavor symmetry in Kogut-Susskind fermion actions, K. Orginos, R. Sugar and D. Toussaint, Nucl. Phys. **B** (Proc. Suppl.) **83-84**, 878, (2000) [arXiv:hep-lat/9909087].
55. Heavy-light decay constants with Dynamical Gauge Configurations and Wilson or Improved Valence Quark Actions, C. Bernard, T.A. DeGrand, C. DeTar, S. Gottlieb, U.M. Heller, J. Hetrick, C. McNeile, K. Orginos, R. Sugar and D. Toussaint, Nucl. Phys. **B** (Proc. Suppl.) **83-84**, 289, (2000) [arXiv:hep-lat/9909121].
56. Perturbation Theory for Fat-link Fermion Actions, C. Bernard and T. DeGrand, Nucl. Phys. **B** (Proc. Suppl.) **83-84**, 845, (2000) [arXiv:hep-lat/9909083].
57. f_B for Various Actions : Approaching the Continuum Limit with Dynamical Fermions, C. Bernard, S. Datta, C. DeTar, S. Gottlieb, U.M. Heller, J. Hetrick, C. McNeile, K. Orginos, R. Sugar and D. Toussaint, Nucl. Phys. **B** (Proc. Suppl.) **94**, 346, (2001) [arXiv:hep-lat/0011029].
58. Zero Temperature String Breaking with Staggered Quarks, C. Bernard, T. Burch, T. DeGrand, C. DeTar, S. Gottlieb, U.M. Heller, P. Lacey, K. Orginos, R. Sugar, and D. Toussaint, Nucl. Phys. **B** (Proc. Suppl.) **94**, 546, (2001) [arXiv:hep-lat/0010066].
59. Quark Loop Effects with an Improved Staggered Action, C. Bernard, T. Burch, T. DeGrand, C. DeTar, S. Gottlieb, U.M. Heller, K. Orginos, R. Sugar and D. Toussaint, Nucl. Phys. **B** (Proc. Suppl.) **94**, 237, (2001) [arXiv:hep-lat/0010065].
60. Thermodynamics with 2 + 1 and 3 Flavors of Improved Staggered Quarks, C. Bernard, T. Burch, S. Datta, T.A. DeGrand, C.E. DeTar, S. Gottlieb, U.M. Heller, K. Orginos, R. Sugar and D. Toussaint, Nucl. Phys. **A702**, 140, (2002) [arXiv:hep-lat/0110030].
61. Thermodynamics with 3 and 2+1 Flavors of Improved Staggered Quarks, C. Bernard, T. Burch, S. Datta, T.A. DeGrand, C.E. DeTar, Steven Gottlieb, U.M. Heller, K. Orginos, R. Sugar and D. Toussaint, Nucl. Phys. **B** (Proc. Suppl.), **106**, 429, (2002) [arXiv:hep-lat/0110067].
62. Heavy-light decay constants with three dynamical flavors, C. Bernard, T. Burch, S. Datta, T. DeGrand, C. DeTar, Steven Gottlieb, Urs M. Heller, K. Orginos, R. Sugar and D. Toussaint, Nucl. Phys. **B** (Proc. Suppl.) **106**, 412, (2002) [arXiv:hep-lat/0110072].
63. Determining hybrid content of heavy quarkonia using lattice nonrelativistic QCD Tommy Burch, Kostas Orginos and Doug Toussaint, Nucl. Phys. **B** (Proc. Suppl.) **106**, 382, (2002) [arXiv:hep-lat/0110001].

64. Light hadron properties with improved staggered quarks, C. Bernard, T. Burch, T. DeGrand, C. DeTar, Steven Gottlieb, E.B. Gregory, Urs M. Heller, J. Osborn, R. Sugar and D. Toussaint, Nucl. Phys. **B** (Proc. Suppl.) **119**, 257, (2003) [arXiv:hep-lat/0208041].
65. Topological susceptibility with the improved Asqtad action, C. Bernard, T. Burch, T. DeGrand, C. DeTar, Steven Gottlieb, E.B. Gregory, A. Hasenfratz, Urs M. Heller, J. Hetrick, J. Osborn, R. Sugar and D. Toussaint, Nucl. Phys. **B** (Proc. Suppl.) **119**, 991, (2003) [arXiv:hep-lat/0209050].
66. Static hybrid quarkonium potential with improved staggered quarks, C. Bernard, T. Burch, T. DeGrand, C. DeTar, Ziwen Fu, Steven Gottlieb, E.B. Gregory, Urs M. Heller, J. Hetrick, J. Osborn, R. Sugar and D. Toussaint, Nucl. Phys. **B** (Proc. Suppl.) **119**, 598, (2003) [arXiv:hep-lat/0209051].
67. Chiral logs with staggered fermions, C. Aubin, C. Bernard, C. DeTar, Steven Gottlieb, Urs M. Heller, K. Orginos, R. Sugar and D. Toussaint, Nucl. Phys. **B** (Proc. Suppl.) **119**, 233, (2003) [arXiv:hep-lat/0209066].
68. High temperature QCD with three flavors of improved staggered quarks, C. Bernard, T. Burch, C. DeTar, Steven Gottlieb, E.B. Gregory, Urs M. Heller, J. Osborn, R. Sugar and D. Toussaint, Nucl. Phys. **B** (Proc. Suppl.) **119**, 523, (2003) [arXiv:hep-lat/0209079].
69. Exotic hybrid mesons from improved Kogut-Susskind fermions, C. Bernard, T. Burch, C. DeTar, Steven Gottlieb, E.B. Gregory, Urs M. Heller, J. Osborn, R. Sugar and D. Toussaint, Nucl. Phys. **B** (Proc. Suppl.) **119**, 260, (2003) [arXiv:hep-lat/0209097].
70. Heavy-light meson decay constants with $N_f = 3$, C. Bernard, T. Burch, S. Datta, C. DeTar, Steven Gottlieb, E.B. Gregory, U.M. Heller, R. Sugar and D. Toussaint, Nucl. Phys. **B** (Proc. Suppl.) **119**, 613, (2003) [arXiv:hep-lat/0209163].
71. Quark Loop Effects in Semileptonic Form Factors for Heavy-Light Mesons, C. Bernard, C. DeTar, Steven Gottlieb, E. Gregory, U.M. Heller, C. McNeile, J. Osborn, R. Sugar, and D. Toussaint, Nucl. Physics B (Proc. Suppl.), **129& 130**, 364 (2004) [arXiv:hep-lat/0309055].
72. Pion and kaon physics with improved staggered quarks, C. Aubin, C. Bernard, C. DeTar, Steven Gottlieb, E. Gregory, U.M. Heller, J.E. Hetrick, J. Osborn, R. Sugar, and D. Toussaint, Nucl. Physics. B (Proc. Suppl.), **129& 130**, 227 (2004) [arXiv:hep-lat/0309088].
73. The Phase Diagram of High Temperature QCD with Three Flavors of Improved Staggered Quarks, C. Bernard, T. Burch, C. DeTar, Steven Gottlieb, E. Gregory, U.M. Heller, J.E. Hetrick, J. Osborn, R. Sugar, and D. Toussaint, Nucl. Phys. B (Proc. Suppl.), **129& 130**, 626 (2004) [arXiv:hep-lat/0309118].
74. Excited States in Staggered Meson Propagators, C. Bernard, T. Burch, C. DeTar, Steven Gottlieb, E. Gregory, U.M. Heller, J.E. Hetrick, J. Osborn, R. Sugar, and D. Toussaint, Nucl. Physics. B (Proc. Suppl.), **129& 130**, 230 (2004) [arXiv:hep-lat/0309117].
75. Three Flavor QCD at High Temperatures, C. Bernard, T. Burch, C. DeTar, Steven Gottlieb, E.B. Gregory, U.M. Heller, J. Osborn, R.L. Sugar, D. Toussaint, Nucl. Phys. B (Proc. Suppl.) **140**, 538 (2005) [arXiv:hep-lat/0409097].
76. Topological susceptibility with three flavors of staggered quarks, C. Aubin, C. Bernard, Brian Bileter, C. DeTar, Steven Gottlieb, E. Gregory, U.M. Heller, J.E. Hetrick, J. Osborn (2), R.L. Sugar, D. Toussaint, Nucl. Phys. B (Proc. Suppl.) **140**, 600 (2005) [arXiv:hep-lat/0409051].
77. Results for light pseudoscalars from three-flavor simulations, C. Aubin, C. Bernard, C. DeTar, Steven Gottlieb, E.B. Gregory, Urs M. Heller, J.E. Hetrick, J. Osborn, R.L. Sugar, D. Toussaint, Nucl. Phys. B (Proc. Suppl.) **140**, 231 (2005) [arXiv:hep-lat/0409041].
78. Heavy-light decay constants using clover valence quarks and three flavors of dynamical improved staggered quarks, C. Bernard, S. Datta, C. DeTar, Steven Gottlieb, E.B. Gregory, U.M. Heller, J. Osborn, R.L. Sugar and D. Toussaint, Nucl. Phys. B (Proc. Suppl.) **140**, 449 (2005) [arXiv:hep-lat/0410014].

79. Leptonic decay constants f_D s and f_{D^*} in three flavor lattice QCD, The Fermilab Lattice, HPQCD and MILC Collaborations: J.N. Simone, C. Aubin, C. Bernard, C. DeTar, M. di Pierro, A.X. El-Khadra, Steven Gottlieb, E.B. Gregory, U.M. Heller, J.E. Hetrick, A.S. Kronfeld, P.B. Mackenzie, D.P. Menscher, M. Nobes, M. Okamoto, M.B. Oktay, J. Osborn, R. Sugar, D. Toussaint, H.D. Trotter, Nucl. Phys. B (Proc. Suppl.) **140**, 443 (2005) [arXiv:hep-lat/0410030].
80. Semileptonic $D \rightarrow \pi/K$ and $B \rightarrow \pi/D$ decays in 2+1 flavor lattice QCD, The Fermilab Lattice, HPQCD and MILC Collaborations: M. Okamoto, C. Aubin, C. Bernard, C. DeTar, M. Di Pierro, A.X. El-Khadra, Steven Gottlieb, E.B. Gregory, U.M. Heller, J. Hetrick, A.S. Kronfeld, P.B. Mackenzie, D.P. Menscher, M. Nobes, M.B. Oktay, J. Osborn, J.N. Simone, R. Sugar, D. Toussaint, H.D. Trotter Nucl. Phys. B (Proc. Suppl.) **140**, 461 (2005) [arXiv:hep-lat/0409116].
81. The scaling dimension of low lying Dirac eigenmodes and of the topological charge density, C. Aubin, C. Bernard, Steven Gottlieb, E.B. Gregory, Urs M. Heller, J.E. Hetrick, J. Osborn, R. Sugar, D. Toussaint, Ph. de Forcrand, and O. Jahn, Nucl. Phys. B (Proc. Suppl.) **140**, 626 (2005) [arXiv:hep-lat/0410024].
82. The Ω^- and the strange quark mass, D. Toussaint and C. Davies (MILC and UKQCD Collaborations), Nucl. Phys. B (Proc. Suppl.) **140**, 234 (2005) [arXiv:hep-lat/0409129].
83. The Quenched Continuum Limit, C.T.H. Davies, G.P. Lepage, F. Niedermayer and D. Toussaint (HPQCD, MILC and UKQCD Collaborations), Nucl. Phys. B (Proc. Suppl.) **140**, 261 (2005) [arXiv:hep-lat/0409039].
84. Properties of light quarks from lattice QCD simulations, C. Aubin, C. Bernard, C. DeTar, Steven Gottlieb, E.B. Gregory, Urs M. Heller, J.E. Hetrick, L. Levkova, F. Maresca, J. Osborn, D. Renner, R.L. Sugar and D. Toussaint, Journal of Physics: Conference Proceedings, **16** 160 (2005).
85. The Equation of State for QCD with 2+1 Flavors of Quarks, The MILC Collaboration: C. Bernard, T. Burch, C. DeTar, S. Gottlieb, U.M. Heller, J. Hetrick, L. Levkova, F. Maresca, D. Renner, R. Sugar and Doug Toussaint, Proceedings of Science (Lattice 2005) 156 (2005) [arXiv:hep-lat/0509053].
86. Update on pi and K Physics, The MILC Collaboration: C. Bernard, C. DeTar, S. Gottlieb, U.M. Heller, J. Hetrick, L. Levkova, F. Maresca, J. Osborn, D. Renner, R. Sugar and D. Toussaint, Proceedings of Science (Lattice 2005) 025 (2005) [arXiv:hep-lat/0509137].
87. Predictions from Lattice QCD, The FNAL and MILC Collaborations: Andreas S. Kronfeld, I.F. Allison, C. Aubin, C. Bernard, C.T.H. Davies, C. DeTar, M. Di Pierro, E.D. Freeland, Steven Gottlieb, A. Gray, E. Gregory, U.M. Heller, J.E. Hetrick, A.X. El-Khadra, L. Levkova, P.B. Mackenzie, F. Maresca, D. Menscher, M. Nobes, M. Okamoto, M.B. Oktay, J. Osborn, D. Renner, J.N. Simone, R. Sugar, D. Toussaint, and H.D. Trotter, Proceedings of Science (Lattice 2005) 206 (2005) [arXiv:hep-lat/0509169].
88. The locality of the fourth root of staggered fermion determinant in the interacting case, The MILC Collaboration: C. Bernard, Ph. de Forcrand, Steven Gottlieb, U.M. Heller, J.E. Hetrick, O. Jahn, L. Levkova, F. Maresca, D.B. Renner, R. Sugar, D. Toussaint, Proceedings of Science (Lattice 2005) 299 (2005) [arXiv:hep-lat/0510025].
89. More evidence of localization in the low-lying Dirac spectrum, The MILC Collaboration: C. Bernard, Ph. de Forcrand, Steven Gottlieb, U.M. Heller, J.E. Hetrick, O. Jahn, L. Levkova, F. Maresca, D.B. Renner, R. Sugar, D. Toussaint, Proceedings of Science (Lattice 2005) 299 (2005) [arXiv:hep-lat/0510025].